UNITED STATES DEPARTMENT OF COMMERCE



National Oceanic Atmospheric Administration National Marine Fisheries Service Sustainable Fisheries Division 7600 Sand Point Way N. E., Building. 1, Bin C15700 Seattle, WA 98115-0070

DATE: June 5, 2006

TO: DISTRIBUTION

FROM: F/NWR2 -Becky Renko

SUBJECT: PRELIMINARY Report #2 -- 2006 Pacific Whiting Fishery

This report consolidates preliminary state, federal, and tribal data for the 2006 Pacific whiting fishery. Due to concerns about the incidental catch of overfished species, bycatch limits are in place for canary (4.7 mt) and widow rockfish (200 mt) taken in the non-tribal sectors of the fishery. If either bycatch limit is reached, the primary whiting seasons for the non-tribal fisheries will end regardless of the amount of whiting allocation remaining.

	Allocation		Whiting Catch*	Overfished Species			Percent of alloca-
	Percentages	Metric Tons	(mt)	and Chinook salmon catch	Thru [date]	Status	tion taken
California (south of 42 N lat.)	(5% shore alloc'n; included in WOC shore allocation)	4,873	5,241		5/25	started 4/1, closed 1800 5/25	107.5%
Oregon		NA	0				
Washington		NA	0				
WOC shore- based	42% commercial OY	97,469	5,241	Canary - 0.00 mt Widow -3.38 mt Darkblotched - 2.12 mt Chinook # 210			5.3%
Mothership (n. of 42 N. lat.)	24% commercial OY	55,696	29,230	Canary - 0.38 mt Widow - 62.40 mt Darkblotched - 4.10 mt Chinook # 166	6/4	started 5/15	52.4%
Catcher/ processor (n. of 42 N. lat.)	34% commercial OY	78,903	19,081	Canary - 0.07 mt Widow - 27.52 mt Darkblotched - 0.64 mt Chinook - #108	6/4	started 5/15	24.1%
Total nontribal	commercial OY	232,069	53,552	Canary - 0.45 mt Widow - 93.30 mt Darkblotched - 6.86 mt Chinook - # 484			23.0%
Tribal (Makah)		35,000	0	Canary Widow Darkblotched Chinook			0.0%
Total directed fishing		267,069	53,552	Canary - 0.45 mt Widow - 93.30 mt Darkblotched - 6.86 mt Chinook - # 484			20.0%
Total	OY=optimum yield	269,069					

^{*} Catch includes: discards from at-sea processors; weigh-backs from shore-based vessels; and catch landed under trip limits prior to the season. The values for at-sea processing sectors are based on NMFS observer data. Data for shore-based vessels were provided by the States. Data for the at-sea processing portion of the Makah fishery are based on preliminary NMFS observers data and shore-based catch was provided by tribal samplers. All weights are in metric ton (2,204.6 pounds).